



### From a Center Director's Point of View

Arthur L. Frank, M.D., Ph.D. Writing for this

inaugural issue of the National
Agriculture Center Newsletter is a bit
like preaching to the choir. Many of
you have been instrumental in
exploring the health and safety
problems that exist in agriculture.
NIOSH deserves major credit as an
institution for recognizing a need,
and organizing a program initiative
to address that need.

Remarkably, the Centers and their leadership have come together in a collegial fashion rarely seen in science. There has been a level of comradeship and collaboration not typical of research endeavors at multiple institutions. My perspective over the years–first as Deputy Director of the SE Center and as Director of the SW Center, plus interactions with many colleagues from other centers, their collaborators, and NIOSH, has convinced me that such unselfish science can take place for the ultimate

continued on page 3

n behalf of the National Institute for Occupational Safety and Health (NIOSH), I am pleased to welcome you to the inaugural issue of *AgConnections*, a

newsletter dedicated to disseminating information about the NIOSH Centers for Agricultural Disease and Injury Research, Education, and Prevention. This newsletter will provide an informative resource for the NIOSH Agricultural Centers' program that began in 1990.

In that year, under Public Law 101
517, NIOSH received Federal appropriations to undertake a National Program in Agricultural

Safety and Health that included research, surveillance, and intervention initiatives that "...when sustained over a period of time will have a significant and measurable impact on ...health effects among rural Americans." In addition to funding the Surgeon General's Conference on Agricultural Safety and Health, the establishment of centers for agricultural occupational safety and health was specifically addressed.

Kentus New York of the Surveillance of

The blessing of abundant agricultural products in the United States also provides challenges for safety and health professionals because of the immense diversity of farming practices and equipment needed to produce our country's food and fiber. NIOSH recognized that the health and

safety of those who work within these significantly different regions would be served best by a network of Agricultural Centers that work not only locally, but which develop a regional character. From the

> beginning, with the establishment of the first two Agricultural Centers at Davis, California and at Iowa City, Iowa, this regional presence has developed. Today, eight additional Centers join those two pioneers for a total of 10 Centers: Seattle, Washington; Fort Collins, Colorado; Tyler, Texas; Marshfield, Wisconsin; Lexington,

Kentucky; Columbus, Ohio; Cooperstown, New York, and Greenville, North Carolina.

Over the years, the Agricultural Centers pursued research, education, and outreach related to a wide variety of significant issues in agricultural safety and health, and results from their work continue to be translated into educational, intervention and prevention activities, with the ultimate goal of improving the health and well-being of all agricultural workers and their families. The Agricultural Centers' program remains the flagship of the NIOSH National Program, and we look forward to continued excellence in their programs.

Steve Olenchock, Ph.D. is the Senior Scientist for Agriculture NIOSH



# FRESH FROM THE FIELD

espite the growth in population and increased demand for agricultural products, supply sources and individuals engaged in agriculture have declined worldwide. The U.S. has experienced a relatively steady trend in decrease in the number, but increase in size of farms since the end of World War II. Acreage of land in farms has decreased by more than 55 million acres in the last 15 years yet productivity per acre has increased. New production methods have changed how farm work is organized, how food and fiber are produced, as well as the structure of the demands of farm labor. For example, recent developments in production agriculture include factory-like livestock facilities and tenant farming where the farmer is a temporary contract grower/producer rather than the primary landowner. The 1997 U.S. Census of Agriculture reports that 18% of U.S. farms produce more than 87% of the agricultural products. Farms that rely on major food distribution companies for their sales need to produce and sell approximately \$250,000

(in 1997) in agricultural products to stay in business.

The economics of modern agriculture have also changed the nature of the workforce. Within nuclear farm families, it is likely that one spouse will work full-time off the farm. Older children will be expected to contribute to the operation.

A decreasing proportion of children choose to continue family farming and the average age of farm owner/operator is increasing. This decrease in the availability of family labor has generated an increased demand for

non-family, farm labor. Hired workers-traditionally migrant farm workers following crop streams- are increasingly "settling" out to work in both agriculture (including forestry, nursery, and processing operations), as well as non-agricultural enterprises.

There were 1.22 million hired workers on the Nation's farms and ranches in October, 2001 as reported by the National

Agricultural Statistics Service, USDA. There were 959,000 workers hired directly by farm operators. Agricultural service employees on farms and ranches made up the balance of hired workers. Migrant workers accounted for 12.1 percent of the October 2002 hired force compared with 11.3% in October 2001.

While we primarily associate agriculture with farming/ranching, the U.S. Department of Labor includes forestry and fishing occupations when reporting employment, and injury information.

	1997	1982	%Change
Number of Farms	1,911,859	2,240,976	-14.7%
Land in farms-acres	931,795,255	986,796,579	-5.6%
Ave. Sales per farm	\$102,970	\$58,858	74.9%
Ave. age of principal owner/operator	54.3	50.2	7.5%
% of Farms by value of gross sales <\$10.000	50.45%	48.9%	1.5%
\$10,000-\$99,999 \$100,000-\$249,000 \$250,000 +	31.5% 9.9% 8.2%	37.5% 9.6% 3.9%	-6.0% .3% 4.3%

National Agricultural Statistics Service, U.S. Dept. of Agriculture, (1999) http://www.nass.usda.gov/census

# **Work Hazards**

ccupational injury and disease risks associated with agriculture make it one of the most hazardous of industries. Health and injury risk exposures can be attributed to animals, machinery, work environment, and chemicals. The U.S. Department of Labor reported 740 job-related fatalities in the agriculture/forestry/ fishing industrial classification codes for the year 2001. In addition, data collected through the Traumatic Injury Surveillance of Farmers (TISF) survey project conducted by the National Institute for Occupational Safety and Health (NIOSH) reported 195,825 lost-time work injuries on U.S. farms in 1995. Farm operators and their family members accounted for most of the injuries (63.8%). Of the estimated 59,888 injuries among hired workers, Hispanics accounted for 51.9%, with 25% of the injuries occurring to workers on beef, hog, or sheep operations.


Agricultural workers are also at risk for chronic health problems associated with work exposures. These health problems include: lung disease, joint and back problems associated with work ergonomics, hearing loss, and skin problems.

#### Youth in Agriculture

Children who live on or visit farms are exposed to unique hazards and injury as a result of developmental immaturity, lack of experience, and failure to recognize injury risk.

In 1998, an estimated 1.2 million youth under age 20 lived on farms. An additional 666,500 youth who did not live on farms were directly hired to do farm labor. An estimated 104 children younger than age 20 die of agricultural injuries on U.S. farms/ranches annually. About 32,800 agriculture-related injuries occurred to children or adolescents under the age of 20 who lived on, worked on, or visited a farm in 1998. Fifty-two percent of all work-related fatalities to children occur during crop production.

However, livestock operations accounted for the most injures (52%) to children. Among children less than age 16, 64% of work-related deaths occur to children working on family owned farms. Farm machinery is the leading cause of death, accounting for 36% of deaths to youth younger than 20 years old. Imperfect reporting, lack of work history, reluctance to seek medical attention, and the lack of access to medical care are among the reasons that injuries and health problems arising from agricultural work are believed to be under-reported.



Distribution of nonfatal injuries and illnesses involving days away from work, 1997 (Source: SOII [1999])

# **Center Projects**

The NIOSH sponsored agriculture safety and health research centers engage in research, intervention/prevention, and education/outreach projects designed to respond to regional priorities, investigate issues with potential worker safety/health impact, and document effectiveness of measures to reduce risks and prevent injuries and disease among the agricultural worker population.

## Research Related to Workforce Issues

#### **GREAT LAKES CENTER**

Farm-related Asthma

#### **GREAT PLAINS CENTER**

- Keokuk County Rural Health Study: The Epidemiology of Disease & Injuries
- New Methods for Evaluation of Organic Dust Aerosols\*

#### **HIGH PLAINS CENTER**

- ROPS Design& Testing for Tractors/Other Ag Vehicles
- Agricultural Health & Safety Curriculum Evaluation
- New Methods for Evaluation of Organic Dust Aerosols\*
- \* Cross-center Project

#### **MIDWEST CENTER CENTER**

■ Pesticides, Genetics & Risk of Parkinson's Disease

#### NORTHEAST CENTER

- Stability Data for Safe Tractor Operation
- The Hispanic Workforce in Northeastern Dairy
- Confined Space Manure Storage Ventilation Standards

#### **PACIFIC NORTHWEST CENTER**

- Identification & Prevention of Injuries in Northwest Orchards
- Workplace Determinants of Take Home Pesticide Exposure



#### **SOUTHEAST CENTER**

- Improving Surveillance of Pesticide and Other Agricultural-Related Poisonings in Kentucky and Tennessee
- Cost Effectiveness of Promoting ROPS & Seat Belts on Family Farm Tractors
- Farmer Suicides: A Ten-year Analysis in Three Southern States

#### **SOUTHERN COASTAL CENTER**

- Human Metabolism of New and Emerging Pesticides
- Ergonomic Interventions for the Agricultural Industry

#### **SOUTHWEST CENTER**

- A Study of Work Injuries in Farmworker Children
- Reporter Gene Systems to Detect Endocrine Disruptive Chemicals

#### **WESTERN CENTER**

- Incident Injury & Disease Among a Cohort of CA Farmers
- Developing, Improving, and Applying Cost-Effective & Accurate Human Blood Cholinesterase Determinations
- Health Effects of Ambient Airborne Particles for the Sacramento/San Joaquin Valley
- Current Costs of Occupational Injuries in Agriculture
- Safety Education and Ag Injury Among CA Rural High School Students

## **Director's Point of View**

continued from page 1

benefit of our target population, those working in agriculture.

In the dozen years since the inception of the NIOSH Agricultural Initiative, the scope of projects has evolved from traditional research to social/behavioral interventions and prevention education to prevent agricultural injuries and illness. Evaluation methods are now being applied. We need to show that our activities do, in fact, make a difference; that we save lives and prevent injuries. We know that to be effective, chronic exposures must be documented prospectively, interventions must be tracked over time in relation to the intended objectives, and educational activities must be repeated. This requires a long-term commitment from NIOSH to maintain the Agricultural Research Centers. As a former Center Director I can appreciate the continuing leadership role of NIOSH in support of all the Ag Centers as we launch this new National Newsletter, which I hope will become a useful vehicle to share meaningful information about both our collective successes, as well as failures, over time. The Centers are now well rooted, evolving, and continue to face a challenging future.

Arthur L. Frank, M.D., Ph.D.

Drexel University

School of Public Health



This is not meant to be an all-inclusive listing. Suggestions for websites, videos, books, and articles related to agricultural health and safety are invited.

#### WERSITES

## Occupational Safety and Health:

http://www.cdc.gov/niosh

http://www-oem.ucdavis.edu

http://pasture.ecn.purdue/~agsafety

http://www.bae.umn.edu

#### Agricultural workers:

http://www.cdc.gov/niosh

http://www.cdc.gov/nasd

http://www.rwhp.org

http://ncfh.org

http://www.bls.gov/opub

http://www.nass/usda.gov

http://research.marshfieldclinic.org/ children/resources



Agricultural Research Center Initiative Centers funded as of October 1, 2001

Great Lakes Center for Agricultural Safety and Health Ohio State University 590 Woody Hays Drive Columbus, OH 43210

(614) 292-9455

Center Director: Thomas Bean, EdD

Great Plains Center for Agricultural Health 100 Oakdale Campus, #124 AMRF The University of Iowa Iowa City, IA 52242-5000

(319) 335-4887

Center Director: Wayne Sanderson, PhD, CIH

High Plains Intermountain Center for Agricultural Health & Safety

154 B Environmental Health Bldg. Colorado State University Fort Collins, CO 80523-1681 (970) 491-6151

Center Director: Steve Reynolds, PhD, CIH

Midwest Center for Agricultural Research, Education & Disease & Injury Prevention

National Farm Medicine Center 1000 North Oak Avenue Marshfield, WI 54449-5790 (715) 389-4012

Center Director: Anne Greenlee, PhD

Northeast Center for Agricultural Safety & Health

One Atwell Road

Cooperstown, NY 13326 (607) 547-6023

Center Director: John May, MD

Pacific Northwest Agricultural Safety & Health Center

Department of Environmental Health Box 357234

University of Washington Seattle, WA 981543-1452

Center Director: Richard Fenske, PhD, MPH

Southeast Center for
Agricultural Health and Injury Prevention
Department of Preventive Medicine

University of Kentucky 1141 Red Mile Road, Suite 102 Lexington, KY 40504-9842

(859) 323-6836

Center Director: Robert McKnight, MPH, ScD

Southern Coastal Agromedicine Center

**East Carolina University** 

West Research Bldg., 1157 VOA Site C Road

Greenville, NC 27858 (252) 744-1000

Center Director: Susan S. Gustke, MD

Southwest Center for Agricultural Health, Injury Prevention, & Education-The University of Texas

Health Center at Tyler 11937 U. S. Hwy. 271

Tyler, TX 75708-3154

(903) 877-5896

Center Director: Jeffrey L. Levin, MD, MSPH

Western Center for Agricultural Health & Safety

University of California One Shields Avenue Davis, CA 95616 (530) 752-4050

Center Director: Marc Schenker, MD, MPH

NIOSH Program Office

1095 Willowdale Road, MS: H2900

Morgantown, WV 26505 (304)285-5826

Sr. Scientist for Agriculture: Steve Olenchock, PhD Program Liaison Officers: Greg Kullman, PhD

Teri Palermo, RN

Funds for this newsletter provided to the Southwest Center for Agricultural Health, Injury Prevention and Education by the National Institute for Occupational Safety and Health (Contract # 000025170)



International collaboration is the hallmark of Lthe upcoming conference: Future of Rural Peoples, the 5th International Symposium hosted by the Institute of Agricultural Rural and Environmental Health, Saskatoon, Saskatchewan, Canada October 19-23, 2003. With profound changes affecting the very survival of rural people, this conference seeks to connect knowledge and past experience in new ways to understand the future of rural peoples. The Symposium is intended to be inclusive of all rural settings – those in industrialized countries as well as those in emerging or subsistence economies. Both scientific/technical and non-technical abstracts are invited for presentations that address four major themes:

- Rural Economy
- **■** Environment
- Healthy People
- Rural Communities

**Abstract Deadline:** April 2, 2003

**Direct Inquiries to:** 

Email: symposium2003@usask.ca

Web: http://iareh.usask.ca

Ph: (306) 966-7888 Fax (306) 966-8378

NON PROFIT ORG PAID TYLER, TX PERMIT NO 1028